


DAWSON COLLEGE DEPARTMENT OF CHEMISTRY AND CHEMICAL TECHNOLOGY ORGANIC CHEMISTRY I 202-BZF-05 Fall 2009


Final Examination

-		
•	Instructors: D. Adley, B. Seivewright, E. Cadieux, S. Holden, H. Khouri, & S. Mäkinen	
	Write your name here:	,
	Sign your name here:	
•	Instructions:	
	1. This examination package contains 19 questions and 16 pages. It is your responsibility to check that there are no pages missing.	!
,	2. Fill in your name before answering the questions.	
<u>-</u> .	3. Answer ALL questions in the space provided.	
		1
-		
	i	
	<u>k</u>	
- ₁		
	-	

necessary. (2 pts each, total 12 pts)

a.







a. Draw the mechanism of the reaction below. Use the Br-Br⁺-Fe Br₃ as the electrophile. Show all resonance structures of the carbocation (arenium ion) intermediate. (4 pts)

$$N$$
 CH_3 Br_2 Br N CH_3


6. Arrange the following substrates in order of their increasing $S_N 2$ reactivity with NaCN. (2 pts)




7. Draw the mechanism which accounts for the formation of the major organic product, when the two compounds are allowed to react. Draw in 3D when necessary. Use curved arrow notation. Draw and indicate clearly the structure of the major product. (4 pts)




8. Show the required reagents to synthesize the following compounds: Mechanisms are **not** required. Give the final product in the last box. (5 pts)






- 9. Show the required steps to synthesize the following compounds. Show all intermediate products. Use **any inorganic and organic reagents** necessary. Mechanisms are not required. (9 pts)
 - a.




Explain why the following reaction does not occur (1 nt)

reaction. Circle the major product. (3 pts)



12. The compounds below have the pK_n values 4.7, 16, 45, and 62. Insert the correct pK_n value in the box for each compound. (4 pts)




- 13. Which of the two compounds has a higher boiling point? Explain. (4 pts)
 - a. CH₃CH₂-O-CH₂CH₃
- or
- $\mathrm{CH_3CH_2}\text{-O-H}$

1_

Or

a. Draw the 3D formulae of the products of the following reaction. (4 pts)



b, Will the final solution be optically active? (1 pt)

16.	What is the relationship	between the f	following molecules?	Place your answer	in the box. (4
	pts)				

- i. enantiomers
- ii. diastereomers
- iii. constitutional isomers
- iv. same molecule
- v. none of the above

a.

b.

c.



d.

	No.	
F		F
Î		

1

Include stereochemistry where applicable. (2 pts each, total 10 pts)

 (C_5H_6) gives the following products: (2 pts)

$$\mathbf{A} \qquad \xrightarrow{\begin{array}{cccc} 1) \text{ O}_3 \\ 2) \text{ Zn, H}_2\text{O} \end{array}} \qquad \begin{array}{cccc} \text{O} & \text{O} \\ \parallel & \parallel \\ \text{HC} & \text{CH} \end{array} \qquad + \qquad \begin{array}{ccccc} \text{O} & \text{O} \\ \parallel & \parallel \\ \text{HC} & \text{CC} \end{array} \qquad \text{CH}$$

What is the structure of compound A?

