Basic Chemistry Problem Set

1.

| | | Physical |
|-------------------------------------|---|-----------------|
| a) Iron rusts | 0 | 0 |
| b) Water begins to boil | 0 | 0 |
| c) Grass grows | 0 | 0 |
| d) Food is digested | 0 | 0 |
| e) Ingested salt dissolves in blood | 0 | 0 |

2.

| 7. | Classify the following statements as True or False. If the statement is False, re-write the to make it True. | stateme | ent |
|------|--|-------------|-------|
| | | <u>TRUE</u> | FALSE |
| a) | Bond polarity arises from differences in electronegativity between two covalently bonded atoms. | 0 | 0 |
| lf F | alse: | | |
| b) | | 0 | 0 |
| lf F | alse: | | |
| c) | When an atom has a large number of neutrons, it will have a large electronegativity. | 0 | 0 |
| lf F | alse: | | |
| d) | | 0 | 0 |
| lf F | alse: | | |
| e) | Water is the human body's main solvent because it can dissolve most polar molecules. | 0 | 0 |
| lf F | alse: | | |
| f) | Some physical properties of molecules, such as boiling points, are entirely dependent on individual bond polarities. | 0 | 0 |
| lf F | alse: | | |
| g) | Hydrogen bonding is responsible for the high boiling point of water. | 0 | 0 |
| lf F | alse: | | |
| h) | The low boiling point of nitrogen is due to hydrogen bonding between nitrogen molecules. | 0 | 0 |
| lf F | alse: | | |
| i) | Hydrogen bonding is very important in biological systems such as for holding the strands of DNA together. | 0 | 0 |
| lf F | alse: | | |
| j) | Hydrogen bonding is a specific example of ionic bonding when hydrogen atoms from two different molecules attract each other. | 0 | 0 |
| lf F | alse: | | |

| | to make it True. | | |
|-------|--|-------------|--------------|
| | | <u>True</u> | <u>False</u> |
| a) | When covalent molecules dissolve in water, they break apart. | 0 | 0 |
| lf Fa | llse: | | |
| b) | Salts are electrolytes because they release ions when dissolved in water. | 0 | 0 |
| lf Fa | lse: | | |
| c) | A cation is a positively charged ion. | 0 | 0 |
| lf Fa | lse: | | |
| d) | An anion is a negatively charged ion. | 0 | 0 |
| lf Fa | lse: | | |
| e) | An acid is a substance that produces H^+ when dissolved in water | 0 | 0 |
| lf Fa | lse: | | |
| f) | Stomach acid is primarily hydrochloric acid. | 0 | 0 |
| lf Fa | lse: | | <u>.</u> |
| g) | Ammonia is a very important acid formed through the breakdown of muscle protein. | 0 | 0 |
| lf Fa | lse: | | |
| h) | Sulfuric acid is a strong acid. | 0 | 0 |
| lf Fa | lse: | | |

8. Classify the following statements as True or False. If the statement is False, re-write the statement

i) Carbonic acid transports carbon dioxide in the body.

Periodic Table of the Elements

| 1 H 1.0079 | | | | | | | | | | | | | | | | | 2 He 4.0026 |
|----------------------------|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| 3 Li 6.941 | 4 Be 9.0122 | | | | | | | | | | | 5 B 10.811 | 6 C 12.0107 | 7 N 14.0067 | 8 O 15.9994 | 9 F 18.9984 | 10 Ne 20.1797 |
| 11 Na 22.990 | 12 Mg 24.3050 | | | | | | | | | | | 13 Al 26.98154 | 14 Si 28.0855 | 15 P 30.9738 | 16 S 32.066 | 17 Cl 35.4527 | 18 Ar 39.948 |
| 19 K 39.0983 | 20 Ca 40.078 | 21 Sc 44.956 | 22 Ti 47.867 | 23 V 50.9415 | 24 Cr 51.996 | 25 Mn 54.938 | 26 Fe 55.845 | 27 Co 58.9332 | 28 Ni 58.6934 | 29 Cu 63.546 | 30 Zn 65.39 | 31 Ga 69.723 | 32 Ge 72.61 | 33 As 74.9216 | 34 Se 78.96 | 35 Br 79.904 | 36 Kr 83.80 |
| 37 Rb 85.4678 | 38 Sr 87.62 | 39 Y 88.906 | 40 Zr 91.224 | 41 Nb 92.906 | 42 Mo 95.94 | 43 Tc 98 | 44 Ru 101.07 | 45 Rh 102.9055 | 46 Pd 106.42 | 47 Ag 107.8682 | 48 Cd 112.411 | 49 In 114.818 | 50 Sn 118.710 | 51 Sb 121.760 | 52 Te 127.60 | 53 I 126.9045 | 54 Xe 131.29 |
| 55 C a | 56 D a | 57 • | 72 TIE EÍ | | I I | I | I | 1 | | 1 | I | I | I | I | 1 | I | I |

Cs Ba La Hf 538090

1329954 () IB 10.326 0 TW 84906 72.36 291.12 32 -0/P <</MCID 214 >T3 1 Tf 0 Tc 0 37 8.04 -0 0 8.04 105 205.16 Tm (Ba)Tj 0 Tc 0 Tw 1.163 0 435Tj EMC /P <</MCITT4 16>>BDC /TT4 16Tf -0.006 Tc 0